

# GOSLING™

QUALITY CRAFT CANNING, SIMPLIFIED.




CANNING  BOTTLING

**WILD GOOSE**  
FILLING



MORE THAN 1,900 WILD GOOSE CANNING  
SYSTEMS WORLDWIDE.

**ARE YOU READY FOR  
YOURS?**



**Automated CO2 purging, filling,  
lid application and seaming.**

*All in one sleek, simple package.*

The Gosling has hatched! That canning run you've been dreaming about just became reality, and Wild Goose Filling helps you get it done fast.

Designed for the craft beverage maker who wants to preserve the quality of their beverage, we have applied our trusted, patented Wild Goose filling and seaming technology to suit your packaging scale.

Experience the consistency and ease of a Wild Goose canning machine, now more affordable than ever.

# GOSLING

## PACKAGE SMALL VOLUMES WITH EASE

Fill your taproom fridge with cans to-go, or release limited-quantity batches on your schedule. The Gosling makes it simple to can small volumes from keg, tank and more.

## PROTECT YOUR CARRY-OUT QUALITY

Improve your shelf life and product integrity over manual-fill-and-seal appliances. With the Gosling, your beverage quality is preserved consistently during the canning process, whether your customers plan to enjoy those cans now or months down the road.

## TEST YOUR MARKET

Turn R&D projects into viable products. Try out different package formats. The Gosling gives you the flexibility to experiment economically so more of your creations can hit the market.

*Your quality craft deserves to be canned on a Goose.*

# GOSLING™

Filling technology with patented line restriction delivers consistent fills and foam control

Durable, high quality Wild Goose construction assures machine reliability and longevity

Lid chute design accommodates full sleeves of lids for hands-free placement

Enclosed structure with drip tray ensures safety and sanitation

Continuous or single-can operation modes give flexibility to every packaging run

Patented pneumatically-actuated and cam-driven seamer creates repeatable seams

Easy-to-use online interface developed by Wild Goose offers run setup from a user's wifi-connected computer, tablet or smartphone

UP TO  
**12 CANS**  
PER MINUTE WITH  
INFEEED AND OUTFEED  
OPERATORS

PURGING: AUTOMATIC

FILLING: AUTOMATIC

LID PLACEMENT: AUTOMATIC

SEAMING: AUTOMATIC



### Speed Up To:

Based on 12 oz / 355 mL can at optimal product conditions

- 12 cans/min
- 720 cans/hr
- 30 cases/hr
- 2.2 bbl/hr
- 67.5 gal/hr
- 2.6 hL/hr
- 0.26 m<sup>3</sup>/hr
- 260 L/hr

• **Can Size:** 202-307 (8-32 oz / 236-946 mL) with a 200-300 lid type

• **Dimensions:** 42" L x 24" W x 41-43" H / 107 cm L x 61 cm W x 104-109 cm H

• **Deck Height:** Entry and exit deck height of 12-14" / 30.5-35.5 cm above base surface

• **Configuration:** Tabletop configuration with adjustable leveling feet

• **Weight:** 275 lb / 125 kg

### Power Options:

- Single-phase 13A @ 115VAC, 50/60 Hz
- Single-phase 200V-240V

• **Air:** Clean, dry compressed air required at 6.5 scfm @ 95-100 psi / 185 L/min @ 6.5-7 bar in accordance with ISO 8573-1:2010 (-4:-). Dew Point < 37° F / 3° C

• **CO2:** Required at 12-25 psi dependent on add-on options

• **App System Requirements:** Wild Goose recommends minimum device requirements of 1.2 GHz processor and 1.5 GB RAM

### Includes:

- Operational Manual

### Options:

- Dual-Stage Flow Mode
- DO Buster™ CO<sub>2</sub> Tunnel
- Pre- and Post-Rinse
- QuickChange™ Can Heights
- Goose Neck™ Infeed
- Liquid Nitrogen Dosing
- Mobile Cart
- Advanced Tool Kit
- Spare Parts Kit
- SPA Treatment (Service Partnership Agreement)

### Warranty:

2-Year Wild Goose Warranty


### Financing:

We offer Wild Goose Financing. Contact us to learn more about your options.

Ask us about a credit towards your first order of cans from a Wild Goose can-supply partner. Full pallet not required - we have you covered on smaller order quantities!

With decades of filling equipment experience,  
Wild Goose Filling designs and builds flexible canning and  
bottling systems that maintain your craft product quality.

Wild Goose's global team proudly serves more than  
3,200 installed customers worldwide.



### **Wild Goose Filling**

633 CTC Boulevard, Suite 100  
Louisville, Colorado 80027 USA

P: +1 720.406.7442

### **European Offices**

Alkmaar, The Netherlands

Barcelona, Spain

Trento, Italy

Budapest, Hungary

[www.WildGooseFilling.com](http://www.WildGooseFilling.com)

